

KEY TO METEOROLOGICAL RECORDS DOCUMENTATION NO. 5.316

# Catalog of Meteorological Satellite Data-ESSA 3 and ESSA 5 Television Cloud Photography

October 1 – December 31, 1967

#### **PURPOSE**

The Key to Meteorological Records Documentation Series has been established to provide guidance information to research personnel making use of climatological data.

Frequently users of such data have found it necessary to spend a great deal of time establishing whether the criteria for observing or computing various elements have changed over the period of record or in what form the data are available.

It is therefore hoped that the presentation of this series may not only conserve valuable time but may have a direct influence in improving the accuracy of research results.

#### EARLIER TIROS AND ESSA DATA CATALOGS

Earlier catalogs of TIROS and ESSA Meteorological Satellite data are available in this series, as follows:

- No. 5.31 "Catalogue of Meteorological Satellite Data TIROS I Television Cloud Photography", published in 1961, price 70 cents.
- No. 5.32 "Catalogue of Meteorological Satellite Data TIROS II Television Cloud Photography", published in 1963, price 20 cents.
- No. 5.33 "Catalogue of Meteorological Satellite Data TIROS III Television Cloud Photography", published in 1962, price 70 cents.
- No. 5.34 "Catalogue of Meteorological Satellite Data TIROS IV Television Cloud Photography", published in 1963, price \$1.00.
- No. 5.35 "Catalogue of Meteorological Satellite Data TIROS V Television Cloud Photography", published in 1964, price \$1.75.
- No. 5.36 "Catalogue of Meteorological Satellite Data TIROS VI Television Cloud Photography", published in 1964, price \$2.00.
- No. 5.37 "Catalogue of Meteorological Satellite Data TIROS VII Television Cloud Photography Part 1 June 19, 1963 to December 31, 1963", published in 1965, price \$1.25.
- No. 5.37 "Catalogue of Meteorological Satellite Data TIROS VII Television Cloud Photography Part 2 January 1, 1964 to June 30, 1964", published in 1965, price \$1.00.
- No. 5.37 "Catalogue of Meteorological Satellite Data TIROS VII Television Cloud Photography Part 3 July 1, 1964 to December 30, 1964", published in 1965, price \$1.00.
- No. 5.37 "Catalogue of Meteorological Satellite Data TIROS VII Television Cloud Photography Part 4 January 1, 1965 to December 31, 1965", published in 1966, price 45 cents.
- No. 5.38 "Catalogue of Meteorological Satellite Data TIROS VIII Television Cloud Photography Part 1 December 21, 1963 to June 30, 1964", published in 1965, price \$1.00.
- No. 5.38 "Catalogue of Meteorological Satellite Data TIROS VIII Television Cloud Photography Part 2 July 1, 1964 to December 31, 1964", published in 1965, price \$1.00.

(Continued on inside back cover)



### U.S. DEPARTMENT OF COMMERCE MAURICE H. STANS, Secretary

ENVIRONMENTAL SCIENCE SERVICES ADMINISTRATION Robert M. White, Administrator

ENVIRONMENTAL DATA SERVICE Woodrow C. Jacobs, Director

KEY TO METEOROLOGICAL RECORDS DOCUMENTATION NO. 5,316

## Catalog of Meteorological Satellite Data-ESSA 3 and ESSA 5 Television Cloud Photography

October 1-December 31, 1967

WASHINGTON, D.C. 1969

#### PREFACE

This issue in the series of catalogs describing the television cloud photographs obtained by meteorological satellites includes material taken from both ESSA 3 and ESSA 5. It covers the period of October 1, 1967 thru December 31, 1967. The maps and listings generally follow the pattern established in the "Catalogue of Meteorological Satellite Data - TIROS I Television Cloud Photography," published as No. 5.31 in the Environmental Data Service Series Key to Meteorological Records Documentation. However, digitized cloud maps replace the manually constructed nephanalyses which had been used in previous catalogs. There are two maps for each day; the first polar stereographic projection in each set is for the Northern Hemisphere and the second for the Southern Hemisphere. These maps are arranged according to pass day.

Documentation Section
National Environmental Satellite Center

#### USING THE CATALOG

- 1. Scan the digitized cloud maps for areas of particular interest.
- 2. When a picture of interest is located, the film can be ordered by date from the National Weather Records Center, Asheville, N. C., at a cost of \$8.50 per day.
- 3. Information for a particular pass, such as start time, subsatellite point (the point where the local vertical through the satellite intersects the earth's surface), and track number, may be determined by using the tabulated listings preceding the digitized cloud maps.

UDC 551.507.362.2:551.576:621.397.3(083.8)"1967-323"

551.5 Meteorology
.507.362.2 Meteorological satellites
.576 Clouds
621.3 Electrical engineering
.397.3 Television picture analysis
(083.8) Catalogs, lists
"1967-323" Autumn, 1967

#### CATALOG OF METEOROLOGICAL SATELLITE DATA -ESSA 3 and ESSA 5 TELEVISION CLOUD PHOTOGRAPHY October 1, 1967 through December 31, 1967

The ESSA 3 meteorological satellite, launched on October 2, 1966 by the National Aeronautics and Space Administration, is the third Environmental Survey Satellite in the TIROS Operational (TOS) System. ESSA 3 was put into a nearly circular, sun-synchronous polar orbit, approximately 892 statute miles above the earth's surface with an apogee of 925 statute miles and a perigee of 859 statute miles. The orbit is inclined 79° (Retrograde) to the equatorial plane with a nodal period of 114.5 minutes which corresponds to slightly less than 13 circuits of the earth each day.

ESSA 3 is a TIROS type satellite in a "cartwheel" configuration which allows earthoriented picture coverage. The spacecraft is spin-stabilized and magnetically torqued to a wheel attitude, so that the spin axis is normal to the plane of the orbit and the radially mounted cameras view the earth once during each spacecraft revolution about its axis.

The cameras in the ESSA 3 satellite are one inch diameter vidicons (television camera tube) of the Advanced Vidicon Camera System (AVCS) type. Each picture covers an area of approximately 4,000,000 square miles. One camera provides full global coverage, therefore, two cameras provide full system redundancy.

Each of the cameras can independently take pictures and store them for later playback to one of the Command-and-Data-Acquisition (CDA) stations which are located at Wallops Station near Chincoteague, Va., and Gilmore Creek, Fairbanks, Alaska.

Pictures, taken every 260 seconds, are usually obtained in sequences of twelve frames to a pass. Each frame is electronically gridded by computer with latitude and longitude lines and geographic outlines merged with the picture. An identification legend underneath each picture provides the following information: year, month, day, hour, minute and second of picture taking time; track and zone numbers; station initial; satellite number; mode; camera; latitude of a labeled grid intersection near the picture center; latitude spacing of grids in degrees; longitude of a labeled grid intersection near the picture center; longitude spacing of grids in degrees; pass number; frame number; and sun glint position. The picture, figure 1, is located in the area of track 4 (TABLE 1) zone 58 (not referenced), with the latitude and longitude point of the picture located at 25°N and 95°W. The grids are spaced 5°D both in latitude and longitude and sun glint is shown in the picture at 22°N and 99°W.

For ESSA 3 the system of "TRACKS" is used to identify the general geographic areas over which picture sequences were taken. These tracks are listed in the ESSA 3 track table (TABLE 1) which appears in this catalog immediately following the tabulated listings. The track boundaries are parallel to the path followed by the subsatellite point during the daylight portion of each orbital pass. The width of each track is exactly equal to the amount the earth rotates between consecutive passes. Thus, in general, the subsatellite point makes one traverse along each track each day (from midnight to midnight, GMT). The track boundaries are fixed permanently for the life of ESSA 3, and are arbitrarily referenced to the point 0° latitude, 0° longitude, with track numbers increasing westward.

Since the ESSA 3 orbital period of 114.5 minutes is not an exact submultiple of 24 hours, the satellite starts 12 and 13 passes on alternate days. This results in track 13 being much narrower than the others and, thus, it is not traversed every day. There are also days on which one particular track is traversed just after GMT midnight, and again later the same day just before GMT midnight.

The ESSA 5 meteorological satellite, launched on April 20, 1967, has characteristic features similar to ESSA 3. When pictures from ESSA 5 more nearly fit the operational requirements for data they are combined with pictures from ESSA 3 in the digitized cloud maps.

ESSA 5, like ESSA 3, was put into a nearly circular polar orbit, approximately 892 statute miles above the earth's surface, with an apogee of 922 statute miles and a perigee




Figure 1 - Example of ESSA 3 Cloud Photography

ESSA 5 similar

of 861 statute miles. The orbit inclines 78.42° to the equatorial plane with an orbital period of 113.6 minutes which corresponds to 12.7 passes around the earth each day.

The cameras in the ESSA 5 satellite are of the same design as those in the ESSA 3 satellite. Picture coverage of the entire sunlit area of the earth is possible each day. Each camera can independently take pictures and store them on tape for later playback to a CDA station in the same manner as ESSA 3 photos.

Pictures, taken at 260 seconds, are in sequences of 6 or 12 frames to a pass, each frame being electronically gridded to show latitude, longitude and geographic outlines on the picture. The grids are generally spaced at 50 intervals of latitude and longitude. The identification legend underneath each picture supplies all pertinent information.

The "track" system of ESSA 5 is similar to that of ESSA 3 and track boundaries are fixed for the life of the satellite. They are used to identify the geographic areas over which picture sequences were taken. These tracks are listed in the ESSA 5 track table (TABLE 2) which immediately follows the ESSA 3 track table (TABLE 1).

Since the ESSA 5 orbital period of 113.6 minutes is not an exact multiple of 24 hours, the satellite starts 12 and 13 passes on alternate days. This results in track 13 being much narrower than the others and, thus, is not traversed every day. There also are days on which one particular track is traversed just after GMT midnight, and again later the same day just before GMT midnight.

On the film reels, picture sequences are grouped together by track number and assembled in chronological order. Track numbers are stamped on the film immediately preceding the sequence to which they apply.

The following pages of tabulated listings give descriptive information about the pictures obtained by ESSA 3 and ESSA 5. In the listings each picture sequence is described by one line, and the sequences are grouped together by date and track number. This is the order in which they appear on the film reel. The column headings and entries have the following meanings:

PASS: Orbital pass number on which the pictures were taken.
On the digitized cloud maps in this catalog, these
numbers appear beneath the date in the lower right
corner of the page.

TRACK: Defines the geographic area which contains the path of the subsatellite point. The entries refer to TABLES 1 and 2.

C: Camera number indicated in the legend.

1 = Camera number one

2 = Camera number two

S: Command-and-Data-Acquisition (CDA) station which received the sequence.

W = Wallops Station, Va.

F = Fairbanks, Alaska

ALONG: Longitude of ascending node (equator crossing)

MODA: Month and day on which the pictures were taken.

HRMNSE: Time in hours, minutes and seconds of the first picture taken.

SUBSATELLITE POINT PICTURE LOCATION: Indicates the latitude in degrees of the subsatellite point for each of the twelve frames in the orbital pass sequence. First latitude column corresponds to picture frame No. 12.

The digitized cloud maps that appear in this catalog are prepared by a high speed digital computer. In this process the signals comprising the picture taken by the satellite are assigned numerical values to indicate the relative brightness of each element. These data are normalized brightness, earth-located and repositioned on standard map projection. Magnetic tapes are produced for input to a cathode ray tube film display device. These digitized cloud maps are constructed so that the overlap of day, 24 hours apart, is positioned in an area between 80 and 60 degrees East. On some days, the first pass of the mosaic day is the same as the last pass of the previous day to keep the 24 hour break in the required area. A detailed description of the procedures used to produce these digitized cloud maps is contained in reference 1; a condensed and edited version of this same article appears in reference 2.

In addition to the reduced hemispheric imagery used as a key in this catalog, fourteen additional computer mapped video products are also produced; eight polar stereographic octants and 6 Mercator segments for each day. The digitized cloud maps are the reduced resolution northern and southern polar hemispheric chips in which latitude and longitude lines are spaced at 10° intervals. In some instances, blank areas and mislocated clouds appear on the digitized cloud maps which are irregularities of the computer operation and should be disregarded. The date appears in the lower right corner of the page along with inclusive pass numbers for the day.

The basic ESSA 3 and ESSA 5 gridded picture master films are deposited at the National Weather Records Center (NWRC), Environmental Science Services Administration, Federal Building, Asheville, North Carolina 28801. Persons or institutions desiring copies may order them from the NWRC in the form of 35 mm. positive transparencies for projection or 35 mm. duplication negatives from which opaque copies can be made. These individual gridded pictures are ordered in daily groups (of about 150) at a cost of \$8.50. The fifty foot film strip for each daily group also includes 16 adjunct frames of the computer mapped imagery for that day. This computer mapped imagery is also available on separate 100 foot reels also at a cost of \$8.50 per reel with each reel containing information for 22 days. Apart from the 16 digital frames described above, a growing list of multi-day computer mapped products are being included. Starting October 1968, 5-day mean charts have been interspersed chronologically as they are available and 30-day mean charts produced on a 15-day overlapped basis also are included along with 90-day seasonal mean charts. From November 1967 to October 1968, these mean charts were produced on an experimental basis and are also available separately upon request from the NWRC.

All copies will be furnished with sprocket holes since the necessary film emulsion is available only in this form. It is not yet possible to furnish copies of individual frames or to provide enlargements or other picture formats. Available also from the NWRC, for the cost of reproduction, are reels of microfilmed nephanalysis charts for TIROS I thru ESSA 1.

\*\*\*\*\*\*\*\*\*

#### REFERENCES

- Bristor, C. L., Callicott, W.M., and Bradford, R. E.: "Operational Processing of Satellite Cloud Pictures by Computer," Monthly Weather Review, 94(8), August 1966, pp. 515-527.
- U.S. Department of Commerce, Environmental Science Services Administration, Environmental Data Service, "Catalog of Meteorological Satellite Data ESSA 3
   Television Cloud Photography, Part 2, January 1, 1967 to March 31, 1967."
   KMRD No. 5.313, Washington, D. C., 1967.

4566 6 170W 1001 001307 675 555 425 295 165 SS 10N 23N 37N 50N 63N 74N 4567 37N 50N 63N 74N 7 2 11 675 555 425 295 1.62E 1001 020749 158 25 10N 24N 4568 8 þ 11 1336 1001 040233 675 545 425 285 155 2S 11N 24N 37N 50N 63N 7411 4569 9 38N 51N 64N 75N 2 285 1 1048 1001 055721 665 545 415 155 15 11N 24N 4570 10 2 275 12N 25N 75N 76£ 1001 075211 66S 53S 40S 145 15 38N 52N 64N 4571 39N 52N 65N 11 2 47E 1001 094705 65S 53S 40S 275 138 ON 15N 56N 76N 4572 12 2 528 3**9**S 265 NO 1.3N 27N 40N 53N 66N **76N** 18E 1001 114202 **64S** 128 4573 2 645 525 398 13N 26N 40N 53N 65N 76N 1001 133642 265 138 ON 101/ 4574 2 2 391/ 1001 153104 655 535 405 275 138 NO 1SN S6N 39N 52N 65N 75N 4575 3 2 **68/1 1001** 172530 405 275 15 12N 25N 38N 51N 64N 75N 655 535 145 4576 4 2 961/ 1001 191959 668 545 415 285 158 15 11N 25N 38N 51N 64N 75N 4577 2 5 125W 1001 211432 665 545 415 285 155 1 S 11N 24N 38N 51N 63N 75N 4578 6 2 154W 1001 230907 37N 51N 63N 66S 54S 41S 288 155 25 11N 24N 4579 2 178E 555 29S 24N 37N 50N 63N 741 7 V 1005 010336 675 425 155 25 10N 1002 025816 4580 R г 149F 675 555 425 295 155 10N 24N 37N 50N 63N 74N 11 25 4581 9 2 U 30S I 1002 045300 67S 54S 415 288 158 25 11N 24N 37N 51N 63N 75N 4582 10 2 W 326 66S 54S 415 285 155 38N 51N 64N 75N 1002 064747 15 11N 24N 4583 2 1.1 63E 1002 084237 665 538 40S 275 145 15 12N 25N 38N 52N 64N 75N 4584 12 2 34E 1002 103730 65S 53S 405 275 138 ON 15N SEN 39N 52N 65N 76N 4585 405 2 655 535 275 ON 12N 25N 75N 13 EE 1002 123208 145 39N 52N 64N 4586 2 142630 665 545 415 25N 75N 2311 1005 288 145 15 11N 38N 51N 64N 4587 162056 66S 54S 415 2 52V 1002 285 158 25 LIN 24N 37N 50N 63N 74N 4588 2 BOV 1002 181525 67S 55S 425 295 165 SS 10N 23N 37N 50N 63N 74N 4589 2 109// 1002 200958 67S 55S 425 295 165 38 10N 23N 37N 50N 63N 7411 4590 558 295 62N 2 1381/ 1002 220433 67S 425 165 35 10N 23N 36N 50N 4591 308 6 2 166N 1005 532803 68S 56S 438 165 38 NES NE 36N 49N 62N 4592 2 165€ 1003 015344 68S 55S 435 30S 165 NCS NP 1/ 38 36N 49N 62N 74N 4593 8 2 W 1360 1003 034828 678 558 **42S** 298 165 35 LON 23N 36N 50N **63N** 74N 4594 9 2 67S 55S 425 298 165 25 LOBE 1003 054315 10N 24N 50N 63N 1./ 37N 74N 4595 10 2 1.7 79E 1003 073805 66S 54S 415 288 155 25 11N 24N 38N 51N **64N** 75N 4596 11 S 50E 1003 093259 66S 53S 415 275 145 15 1 2N 25N **38N** 52N 64N 75N 1003 112755 65S 53S 405 275 2 175 4597 12 22F UN 13N 26N 39N 53N 65N 76N 4598 71/ 1003 132234 658 538 40S 27S 12N 25N 2 145 ON 39N 52N 65N 75N 1 г 665 535 415 285 4599 36V 1003 151657 145 11N 25N 2 15 3BN 51N 64N 75N 4600 3 г 64W 1003 171123 665 545 415 288 155 25 11N 24N 37N 51N 63N 75N 4601 2 93W 1003 190552 67S 55S 425 298 155 25 10N 24N 37N 50N 63N 7411 250012 C001 MSS1 67S **55**S 425 295 165 25 NES NO1 4602 5 2 37N 50N 63N 74N 150W 1003 225500 675 **5**5S 425 298 4603 6 2 165 38 LON 23N 37N 50N 63N 179W 1004 004929 **685 565** 435 30S 4604 7 2 1. 168 38 MES NE 36N 49N **62N** 74N 4605 152E 1004 024409 68S 55S 435 30S 165 35 NCS NP 8 2 36N 49N **62N** 74N 4606 9 124E 1004 043853 675 555 425 295 165 35 I ON 23N 50N 2 1 36N 63N 74N 67S 55S 425 295 4607 10 S 1 95E 1004 063340 168 25 10N 24N 37N 50N 63N 74N 67S 54S 415 285 4608 11 S **66E** 1004 082830 155 25 11N 24N **38N** 51N 64N 75N BE 1004 102323 66S 54S 415 285 145 12N 25N 4609 12 2 F 15 3**B**N 52N 64N 75N 545 415 582 4610 13 2 90 1004 121801 665 155 15 11N 24N 38N 51N 64N 75N 675 545 425 298 VOS 1004 141224 155 10N 24N 25 4611 2 37N 50N 63N 74N 4612 2 2 48W 1004 160649 675 555 425 295 165 35 NCS NO! 36N 50N 62N 74N 77W 1004 180118 688 565 435 30S 165 35 NCS NP 49N 4613 3 2 36N F 62N 73N 565 308 4614 2 106W 1004 195551 688 435 178 35 NP 22N **36N** 49N 62N 73N 2 134W 1004 215026 688 565 438 308 175 45 NSS NE 49N 4615 5 36N **62N** 771 163W 1004 234505 565 4616 6 2 F 685 438 305 175 45 NSS NE 36N 49N 62N 7 2 168E 1005 013947 685 565 435 308 175 35 9N SSN 36N 49N 4617 W 62N 7 3N 1005 033432 565 435 688 308 165 35 NCS NP 4618 8 2 W 140E 36N 49N **62N** 74N 1005 052921 675 555 428 295 168 25 NES NO! 4619 9 111E 37N 50N 63N 74N 1005 071952 775 675 545 425 285 158 4620 10 2 M 82E 25 11N 24N 37N 51N 63N 2 54E 1005 091447 **76S** 665 545 415 285 145 15 11N 25N 4621 1 1 38N 52N 64N 1005 110946 25F 765 655 538 405 275 138 ON 13N 4622 12 2 26N 39N 53N 65N 4W 1005 130427 765 655 538 405 275 4623 2 145 ON 12N Sen 39N 52N 65N 1 32V 1005 145850 765 535 4624 2 2 665 415 285 145 15 11N 25N **38N** 51N 64N 61W 1005 165316 76S 66S 545 415 288 155 25 4625 3 2 11N 24N 37N 51N 63N 901/ 1005 184745 775 675 55S 42S 295 155 25 4626 1 ON 24N 37N 50N 63N 5 1181/ 1005 204217 775 **67**S 555 425 298 4627 2 165 25 1 ON NCS 37N 50N 63N 4628 6 2 1471/ 1005 223653 775 67S 555 425 295 165 25 10N 23N 37N 50N 63N 4629 7 2 W 176W 1006 003130 **77S** 678 555 425 295 165 38 1 ON 23N 37N 50N 63N 1006 055613 4630 8 2 W 156E 775 675 555 425 295 165 SS 1 ON 24N 37N 50N 63N 4631 9 2 1275 1006 042058 77S 675 555 425 295 155 25 1 ON 24N 37N 50N 63N 1006 061547 4632 10 2 1.7 AUL 765 665 545 415 285 155 15 11N 24N 38N 51N 64N 4633 11 2 70E 1006 081039 **76S 66S** 535 405 275 145 15 12N 25N 39N 52N 65N 2 1006 100534 12 765 655 535 4634 41E 265 40S 138 ON 1.3N **26N** 39N 53N 65N 4635 13 2 12E 1006 150033 **75**S 645 525 398 255 128 ON 14N 27N 41N 54N 66N 4636 1006 135513 **75**S 1 161/ 645 525 195 265 125 ON 1.3N 27N 4 ON 53N **66N** 4637 2 451/ 1006 154934 755 655 535 275 138 405 ON 12N Sen 39N 52N 65N 3 4638 7411 1006 174359 765 665 535 405 275 145 15 12N 25N 3BN 52N 64N 4679 2 1021/ 1006 193827 4 765 665 545 415 285 158 1 S 1.1N 25N 38N 51N 64N F 4640 5 1311/ 1006 213259 **76**S 66S 54S 41S 28S 15S 25 11N 24N 38N 51N 64N

425 298

155

25

11N 25N

38N 51N

65N

1217 1015 202144

775 685 565 435

30S 17S

35

90 230 360 490 620

1111/ 1018 200930

4791 2 140W 1018 220406 77S 68S 56S 43S 30S 17S 9N 23N 36N 49N 62N 38 4792 168// 1018 235845 778 688 568 438 30S 175 38 NES NB 36N 49N 62N 4793 7 2 775 685 565 435 305 9N 23N 36N 49N 62N 1. 163E 1019 015326 175 38 4794 8 775 688 565 **43S** 305 11 1348 1019 034811 165 35 10N 2311 37N 100 N 63N 4795 9 555 425 295 2 775 675 165 25 10N 24N 77N 50N 6311 1./ 106F 1019 054259 4796 10 2 77E 1019 073750 77**S** 67S 555 425 29S 15S 25 11N 24N 38N 51N 6411 11 4797 1.1 2 48E 1019 093244 76S 66S 545 415 285 145 15 12N 25N 39N 52N 65N 4798 12 2 19E 1019 112741 778 678 545 **40S** 275 138 ON 13N 26N 40N 53N 66N 4799 917 1019 132223 765 655 538 40S 275 145 ON 12N 26N 39N 52N 65N 1 4800 2 , 38V 1019 151646 76S 66S 11N 25N 38N 52N 64N 545 415 288 145 15 4801 3 2 66V 1019 171953 545 415 285 158 25 11N 24N 38N 51N 64N 4802 2 95\/ 1019 191003 67S 55S 425 295 155 25 11N 24N 37N 51N 63N 4803 5 2 F 1241/ 1019 210016 77S 67S 558 425 295 165 10N 24N 37N 50N 63N 25 4804 6 2 F 152V 1019 225913 67S 55S 425 **29**S 165 25 10N 24N 37N 50N 63N 15 4805 7 2 11 179E 1020 004933 **77**S 675 558 425 295 165 25 10N 24N 37N 50N 63N 4806 8 W 150E 1020 024415 77**S** 67S 558 425 295 158 25 11N 24N 37N 51N 64N 4807 9 2 425 M 12**2**E 1020 043901 77S 67S 545 288 155 25 11N 24N 38N 51N 64N 4808 10 2 11 936 1020 063350 **76**S 665 545 415 285 145 1 **S** 11N 25N 38N 52N 6411 4809 1.1 2 F 765 665 538 405 275 39N 52N 65N 64E 1020 082842 145 NO 12N 26N 4810 12 2 36E 1020 102337 75S 65S 525 **40S** 265 138 NO 13N 27N 40N 53N 661 4811 1.7 1020 121818 755 655 405 2 F 538 265 135 N92 NC1 NO 40N 53N 65N 7F 4812 2 22W 1020 141240 **76S** 665 538 **40**S 27**S** 145 15 12N 25N 39N **52N** 65N 4813 2 2 500/ 1020 160706 765 665 545 415 285 158 15 11N 25N 38N 51N 641 4814 3 2 F 791/ 1020 180135 775 675 545 42S 28S 158 SS 11N 24N 38N 51N 64N 4815 4 2 108/1 1050 195607 775 675 555 425 2**9**S 155 25 10N 24N 37N 51N 63N 555 295 4816 5 2 F 1361/ 1020 215042 775 678 425 165 25 10N 24N 37N 51N 63N 4817 6 165W 1020 234525 **77S** 675 555 425 295 155 25 11N 24N **JBN** 51N 1021 014000 555 425 295 25 4818 778 678 155 63N 7 2 1.7 166E 10N 24N 37N 511 4819 8 2 138E 1021 033445 775 **67S** 555 **42S** 285 155 25 11N 24N V 38N 51N 64N 4820 9 1021 052923 778 678 555 425 2**9S** 155 2 11 109E 25 11N 24N 38N 51N 64N 4821 10 2 1./ **80E** 1021 072414 76S 66S 545 415 285 145 IS 11N 25N 38N 52N 65N 538 **40**S 4822 1.1 2 52E 1021 091908 765 665 275 145 DΝ 15N 56N 39N 53N 65N 1021 111405 755 655 525 398 4823 23E 265 1.35 NC1 NO 12 2 F 27N **40N** 54N 66N 4824 2 1021 130846 75S 65S 525 39S 26S 138 NO 13N 1 611 26N 40N 53N 661 4825 2 2 F 34W 1021 150307 76S 66S 538 **40**S 2**7**S 145 NO 12N 25N 39N 52N 65N 545 415 155 4826 3 2 F 63M 1021 165732 76S 66S 288 15 11N 25N **38N** 51N 64N 92W 1021 185200 425 285 155 4827 4 2 77S 67S 54S 25 11N 24N 38N 51N 64N 555 425 295 120W 1021 204631 778 678 155 5 2 10N 24N 4828 F 25 37N 51N 63N 4829 6 2 F 1491/ 1021 224105 778 678 555 425 295 165 **3**S 10N 24N 37N 50N 63N 178V 1022 003549 778 678 555 425 295 155 2S 37N 51N 64N 4830 7 2 11N 24N 1.7 4831 8 2 W 154E 1055 053030 775 675 555 42S 29S 155 25 11N 24N 38N 51N 64N 9 2 1250 1022 042514 775 675 545 41S 285 155 ١S 11N 25N 38N 51N 64N 4832 W 545 4833 10 2 W **96**E 1055 065005 765 665 415 288 145 15 12N 25N 38N 52N 65N 2 **68E** 1022 081452 **76S 66S** 538 405 2**7S** 145 ON 12N 26N 39N 4874 52N 65N 1.1 765 655 538 405 135 4835 12 2 F 39F 1022 100946 265 ON 13N 27N 40N 53N 66N 120425 765 538 **40S** 275 4836 13 2 F 100 1022 655 138 ON 13N **26N** 39N 53N 65N 4837 1 2 F 181/ 1022 135849 765 665 538 415 275 145 15 12N 25N 39N 52N 65N 1022 155316 **76S 66S** 545 415 285 155 4838 2 2 47W 1 S 11N 25N 38N 51N 64N 775 675 545 425 285 F 76V 1022 174746 155 38N 51N 64N 4839 3 2 25 1.1 N 24N F 104W 1022 194219 775 67S 555 425 295 155 25 11N 24N 37N 4840 4 2 51N 64N 4841 5 2 133W 1022 213655 778 678 555 425 295 155 25 10N 24N 37N 51N 63N 555 425 295 4842 6 2 F 162W 1022 233135 77S 67S 155 25 11N 24N 38N 51N 64N 555 295 4843 7 2 170E 1023 012617 **77**S 675 425 155 25 11N 24N 38N 51N 64N W 415 1023 032103 778 678 545 285 155 15 25N 4844 8 2 11 141E 11N 38N 51N 64N 4845 9 2 113E 1023 051552 76S 66S 54S 415 285 145 15 12N 25N 39N 52N 65N 10 1023 071044 765 655 538 40S 27S 145 ON 12N 26N 39N 53N 65N 4846 2 84E 1./ 2 F 1023 090539 **75S** 65S 525 395 265 138 ON 13N 27N 40N 4847 1.1 55E 54N 66N 27E 1023 110038 **75**S 645 515 385 255 125 1N 15N 28N 411 55N 67N 2 4848 12 4849 2 F 2V 1023 125519 75S 64S 51S 388 258 125 1N 14N 28N 41N 54N 67N 1 4850 2 2 311/ 1023 144940 **75**S 655 525 398 265 138 ON 13N 27N 40N 53N 66N 655 538 135 59W 1023 164405 765 40S 27S NO 1.3N 485 i 3 2 F 26N 39N 53N 65N 88W 1023 183833 66S 53S 40S 27S 145 ON 25N 4852 2 765 12N 39N 52N 65N 4853 5 1171/ 1023 203304 765 665 545 415 285 145 1.5 12N 25N 39N 52N 65N 2 F 4854 6 2 1451/ 1023 222738 **76**S 665 545 415 285 155 15 F 11N 25N 38N 52N 64N 66S 54S 415 285 145 4855 174V 1024 002219 765 15 1.2N 25N 52N 7 2 39N 1.7 65N 4856 8 2 157E 1024 021700 76S 66S 54S 41S 28S 145 15 12N 25N 39N 52N 65N 4857 9 2 12**9**E 1024 041145 765 665 538 405 275 145 ОN 15N 56N 39N 52N 65N 1./ 4858 10 2 1.7 100E 1024 060632 **76S** 655 538 **40S** 275 138 NO 13N 26N **40N** 53N 661 4859 1.1 2 71E 1024 080122 755 65S 52S 398 268 138 ON 13N 27N **40**N 53N W 660 4860 1024 095616 398 258 12 2 F 43E 75S 64S 528 128 ON 14N 28N 41N 54N 67N 4861 13 2 14E 1024 115054 **75S** 645 525 398 265 128 ON 14N 27N 40N 54N 661 4862 2 151/ 1024 134516 76S 65S 538 40S 275 138 1.30 53N 65N ON 26N 4 ON 4863 2 2 43\/ 1024 153941 275 F 76S 66S 53S 405 145 NS1 NO 25N 39N 52N 65N 4864 3 2 72\/ 1024 173409 76S 66S 54S 41S 28S !4S 1S 11N 25N 38N 52N 64N 4865 F 1011/ 1024 192839 **77**S 67S 54S 41S 28S 158 1.1.N 25N 38N 51N 64N 15

24W 1027 142155 ON 13N 26N 40N 53N 66N 4901 2 F 50W 1027 161621 76S 66S 538 408 275 145 NO 12N 26N 39N 52N 2 65N 2 81W 1027 181050 76S 66S 54S 415 285 145 1S 12N 25N 4902 Э F 39N 52N 65N 4903 2 F 110W 1027 200522 76S 66S 54S 41S 285 145 1S 11N 25N 38N 52N 64N **76**S 66S 54S 415 285 4904 2 139W 1027 215957 158 15 11N 25N 38N 52N 64N 167W 1027 235433 775 675 545 415 285 158 15 11N 25N 4905 6 2 F 38N 51N 64N 164E 1028 014914 77S 66S 54S 41S 285 155 11N 25N 64N 4906 2 15 38N 52N 4907 В 2 W 1 35E 1028 034358 **76S 66S** 545 415 285 145 1S 12N 25N 39N 52N 65N 775 675 555 425 4908 9 2 W 106E 1028 053846 285 155 25 15N 56N 39N 52N 66N 765 655 535 4909 78E 1028 073336 405 275 138 ON 13N 26N 40N 53N 10 2 W 661 398 1028 092830 75S 65S 52S 265 4910 1 1 2 49E 128 ON 14N 27N 41N 54N 67N 4911 12 2 315 1028 112308 **75**S 655 525 395. 265 138 ON 13N 27N 40N 53N 66N 8W 1028 131730 765 655 535 405 275 145 ON 4912 2 12N 26N 39N 52N 65N 37W 1028 151154 76S 66S 54S 415 285 145 4913 2 2 15 12N 25N 39N 52N 65N 65W 1028 170522 775 675 545 415 285 155 4914 3 2 F 1S 11N 25N 38N 51N 64N 94W 1028 190053 778 678 558 425 295 155 25 11N 24N 4915 2 F 38N 51N 64N 123W 1028 205527 778 678 558 425 295 155 37N 51N 5 2 F 25 11N 24N 4916 64N 4917 6 2 F 151W 1028 225005 778 678 558 425 295 155 25 11N 24N 37N 51N 64N 4918 180W 1029 004444 778 678 555 425 295 155 2S 11N 24N 7 2 W 38N 51N 64N 1518 1029 023928 77S 67S 55S 38N 51N 4919 8 2 W 425 298 155 25 11N 24N 64N 1236 1029 043415 775 675 545 415 285 155 15 11N 25N 38N 52N 9 2 4920 W **64N** 94E 1029 062905 76S 66S 54S 15 12N 26N 39N 52N 4921 10 2 1./ 415 285 145 65N 1029 082358 768 658 4922 11 2 W 65E 535 405 275 138 ON 13N 26N 40N 53N 66N 1029 101854 755 655 395 4923 2 F 37E 528 265 128 ON 14N 27N 41N 12 54N **G7N** 1029 121333 758 658 528 4924 2 BE 398 265 138 ON 13N 27N 40N 53N 13 661 21W 1029 140755 76S 66S 53S 4925 1 2 40S 275 145 NS 2 NEC NOS NS1 NO 65N **765 665** 4926 2 491/ 1029 160219 545 415 285 145 15 12N 25N 39N 52N 2 650 778 678 155 78W 1029 175647 545 4927 3 2 415 285 15 11N 25N 38N 51N **64N** 107W 1029 195118 775 675 555 4928 2 425 295 155 25 11N 24N 38N 51N 64N 1351/ 1029 214553 295 4929 5 2 778 678 555 425 158 25 11N 24N 38N 51N 64N 4930 164W 1029 234028 778 678 555 425 298 6 2 165 25 10N 24N 37N 51N 64N 167E 1030 013508 778 678 4931 7 2 14 555 425 295 165 25 11N 24N 38N 51N 64N 4932 2 L 139E 1030 032951 778 678 555 298 8 425 158 25 11N 24N 38N 51N 64N 4933 9 2 14 110E 1030 052438 775 675 545 415 285 155 15 11N 25N 38N 52N 64N 4934 10 2 1 BIE 1030 071927 **76S 66S 54S** 415 288 145 15 15N 25N 39N 52N 65N 4935 1.1 2 53E 1030 091420 765 655 538 405 275 1.38 ON 13N SEN 40N 53N 66N 24E 1030 110916 4936 12 2 75S 65S 528 398 265 128 ON 14N 27N 41N 54N 67N 4937 2 1030 130355 75S 65S 528 398 265 ON 13N 27N 138 40N 53N 66N 4938 2 2 F 331/ 1030 145816 **76S 66S** 538 405 275 110 15N 56N 145 39N 52N 65N 4939 2 62W 1030 165241 765 665 545 415 285 145 15 12N 25N 39N 52N 65N 4940 911/ 1030 184709 775 675 545 415 285 155 1S 11N 25N 38N 51N 64N

77S 68S 55S 42S

298

165

25

11N 24N 38N 51N 64N

601/ 1117 164229

75S 65S 52S

3**9**S 25S

128

IN 14N 28N 41N 54N

785

5465

7/05

PASS	TRACK	Ĺ	S	ALON MODA HRMNSE	SUB-SATELLITE POINT PICTURE LOCATION	
					LAT	LAT
5691	1	2	F	18V 1229 134329	78S 75S 64S 52S 39S 25S 12S IN 14N 28N 41N	54N
5692	2	2	F	47W 1229 153751	775 765 655 535 395 265 135 ON 13N 27N 40N	5 3N
5693	)	2	17	76W 1229 173217	77S 76S 66S 53S 40S 27S 13S ON 13N 26N 39N	52N
5694	4	5	F	104W 1229 192646	775 775 665 545 405 275 145 ON 12N 26N 39N	52N
5695	5	2	F	811212 6221 MCC1	76S 77S 67S 54S 41S 27S 14S ON 12N. 25N 39N	52N
5696	6	2	F	1621/ 1229 231553	76S 77S 67S 54S 41S 28S 14S 1S 12N 25N 39N	52N
5697	7	2	W	1700 1230 011030	76S 77S 67S 54S 41S 28S 14S 1S 12N 25N 39N	52N
5698	ઇ	2	11	1416 1230 030512	76S 77S 67S 54S 41S 27S 14S ON 12N 26N 39N	52N
5699	9	2	W	112E 1230 045956	76S 77S 66S 54S 41S 27S 14S ON 12N 26N 39N	
5700	10	2	17	846 1230 065443	775 765 665 535 405 275 135 ON 13N 26N 40N	
5701	1.1	2	F	55E 1230 084934	77S 76S 65S 53S 39S 26S 13S ON 14N 27N 40N	
5702	12	2	F	268 1230 104427	77S 76S 65S 52S 39S 25S 12S 1N 14N 28N 41N	
5703	1	2	F	21/ 1230 123924	78S 75S 64S 51S 38S 24S 11S 2N 15N 29N 42N	
5704	2	2	F	311/ 1230 143403	78S 75S 64S 51S 38S 25S 11S IN 15N 28N 41N	
5705	3	2	W	601/ 1530 165852	77S 76S 65S 52S 39S 25S 12S ON 14N 27N 41N	53N
5706	4	2	F	88W 1230 182249		53N
5707	5	2	F	117W 1230 201717	775 765 665 535 405 275 135 ON 13N 26N 39N	
5708	6	5	F	841152 OCS1 W841	775 775 665 545 415 275 145 ON 12N 26N 39N	52N
5709	7	2	11	174W 1231 000622		52N
5710	8	2	17	1576 1231 020059		52N
5711	9	5	IJ	1286 1231 035539		52N
5712	10	2	11	1000 1231 055022	775 775 665 545 405 275 145 ON 12N 26N 39N	
5713	1.1	2	F	718 1231 074509		53N
5714	12	5	F	42E 1231 093958	775 765 655 535 395 265 135 ON 14N 27N 40N	
5715	1.3	5	F	14E 1231 113451	775 765 655 525 395 255 125 1N 14N 28N 41N	
5716	1	2	F	151/ 1231 132946	785 755 645 515 385 245 115 2N 15N 29N 42N	
5717	2	2	F	44W 1231 152426	785 755 645 515 385 255 115 IN 15N 28N 41N	
5718	3	2	11	72W 1231 171848	775 765 655 525 395 265 125 ON 14N 27N 40N	
5719	4	5	F	103W 1231 191314	775 775 675 545 415 285 145 ON 13N 27N 40N	
5720	5	2	F	1301 1231 210743	775 765 665 535 405 275 135 ON 13N 26N 39N	
5721	6	5	F	1601/ 1231 230215	775 775 675 545 425 285 145 15 12N 26N 39N	52N

#### TRACK TABLE FOR ESSA 3

#### TRACK TABLE FOR ESSA 5

Range of Ascending Nodes	Track No.	Range of Ascending Nodes	Track No.
0 - 28.7W	1	0 - 28.4W	1
28.7W - 57.4W	2	28.4W - 56.8W	2
57.4W - 86.1W	3	56.8W - 85.2W	3
86.1W - 114.8W	4	85.2W - 113.6W	4
114.8W - 143.5W	5	113.6W - 142.0W	5
143.5W - 172.2W	6	142.0W - 170.4W	6
172.2W - 159.1E	7	170.4W - 161.2E	7
159.1E - 130.4E	8	161.2E - 132.8E	8
130.4E - 101.7E	9	132.8E - 104.4E	9
101.7E - 73.0E	10	104.4E - 76.0E	10
73.0E - 44.3E	11	76.0E - 47.6E	11
44.3E - 15.6E	12	47.6E - 19.2E	12
15.6E - 0	` 13	19.2E - 0	13

Difference between Tracks - 28.70

Difference between Tracks - 28.4°


Day to day variations and irregularities which result in improper locating or display of the data are apparent in this catalog. At present, inadequate computer facilities prevent any effort to reformat the mosaic image on an after-the-fact basis. Those days with obvious problems are listed below in chronological order:


DATE	REASON
10/10/67	Missing data lines over N. E. states.
10/22/67	Some calibration errors.
10/23/67	Some calibration errors - see Africa.
10/25/67	Went back to old program to investigate holes in data.
11/ 8/67	Horizontal streaks due to computer error (disk).
11/17/67	No product due to computer failure.
11/18/67	No product due to computer failure.
12/ 5/67	One blank frame.
12/19/67	One noisy Pass - 40W.
12/20/67	Two noisy Passes - 40W - 100W.
12/23/67	One Pass missing - 100W.
12/26/67	Gap at Africa, program error.
12/28/67	One noisy frame.


- 1) ESSA 5 cameras were more responsive than ESSA 3 cameras, therefore the data suddenly appears more profuse and brighter.
- 2) Tape recorder problems aboard the ESSA 5 satellite prevented processing of the first frame of data of each readout sequence, thus affecting the computer logic to locate the data in the expected sequence.


Some other inconsistencies are related to photographic and printing problems. Original film negatives may not exhibit these problems. Any comments pertaining to the Catalog of Meteorological Satellite Data - ESSA 3 and ESSA 5 Television Cloud Photography, will be welcomed and should be addressed to:


Chief, Documentation Section National Environmental Satellite Center Environmental Science Services Administration Washington, D. C. 20233




















































































































































































































































































## NORTHERN HEMISPHERE

11/17/67

ESSA 3

## SOUTHERN HEMISPHERE

11/17/67

ESSA 3

## NORTHERN HEMISPHERE


11/18/67


ESSA 3


## SOUTHERN HEMISPHERE


11/18/67


ESSA 3































































































































































































































































- No. 5.38 "Catalogue of Meteorological Satellite Data TIROS VIII Television Cloud Photography Part 3 January 1, 1965 to August 31, 1965", published in 1966, price 45 cents.
- No. 5.39 "Catalogue of Meteorological Satellite Data TIROS IX Television Cloud Photography Part 1 January 22, 1965 to April 30, 1965", published in 1966, price \$1.75.
- No. 5.39 "Catalogue of Meteorological Satellite Data TIROS IX Television Cloud Photography Part 2 May 1, 1965 to July 26, 1965", published in 1967, price \$1.25.
- No. 5.310 "Catalogue of Meteorological Satellite Data TIROS X Television Cloud Photography Part 1 July 2, 1965 to September 30, 1965", published in 1967, price \$1.25.
- No. 5.311 "Catalogue of Meteorological Satellite Data ESSA 1 Television Cloud Photography Part 1 February 3, 1966 to March 31, 1966", published in 1966, price \$1.00.
- No. 5.311 "Catalogue of Meteorological Satellite Data ESSA 1 Television Cloud Photography Part 2 April 1, 1966 to October 6, 1966", in press.
- No. 5.313 "Catalog of Meteorological Satellite Data ESSA 3 Television Cloud Photography Part 1 October 4, 1966 to January 1, 1967", published in 1968, price 75 cents.
- No. 5.313 "Catalog of Meteorological Satellite Data ESSA 3 Television Cloud Photography Part 2 January 1, 1967 to March 31, 1967", published in 1967, price \$1.50.
- No. 5.314 "Catalog of Meteorological Satellite Data ESSA 3 and ESSA 5 Television Cloud Photography April 1, 1967 to June 30, 1967", published in 1968, price \$1.75.
- No. 5.315 "Catalog of Meteorological Satellite Data ESSA 3 and ESSA 5 Television Cloud Photography July 1, 1967 to September 30, 1967", published in 1968, price \$2.00



